
NEW STREAMPIX 9 DIGITAL VIDEO RECORDING SOFTWARE



FEATURES:

- Real time video recording to hard disk or RAM at up to 6 Gbytes/second.
- Acquire in monochrome or color from GigE Vision, 10, 25 & 100 GigE, USB3.1, Camera Link, HD-SDI, or CoaXPress cameras.*
- Acquire video as AVI, MOV, uncompressed or compressed with any Windows or Apple compatible CODEC installed.*
- ► VCR style controls: Record, Play, Rewind, Fast-Forward, Stop and Pause.
- Export images as BMP, TIFF, multi-TIFF, JPEG, PNG, FITS, AVI, MOV.
- Time Stamps with LTC, IRIG B and GPS coordinates.
- Color balance, histogram and other real time image processing functions.
- Supports a wide selection of frame grabbers and cameras.
- Windows 10, 11 in 32 and 64 bit.
- Multiple languages supported. Chinese Traditional and Simplified, German, Korean, Japanese, Spanish and French.
 - *Depending on hardware configuration.

(...cont'd) FEATURES:

- Time lapse video acquisition.
- Use off the shelf hardware technology. Window leveling.
- Record Audio.
- Add time stamps, text comments or bitmap images as overlays on each image.

NEW DAQ MODULE:

- Record DAQ, analog data from digital or analog boards.
- Acquired data displayed with customizable data graphs.
- Playback synchronized video with DAQ, audio.
- Export DAQ files to standard .csv files for post processing.

NEW DMI MODULE:

Synchronize image capture rates for multiple cameras using the received information from a Pulse Distance Interval device.

NEW BATCH PROCESSOR MODULE:

- Stand alone batch processing module.
- Automate batch processing.
- Convert to AVI, TIFF, JPEG, BMP and MOV.

NEW CUDA JPEG COMPRESSIONS:

- Compress to IPEG in real time using NVIDIA GPU.
- Adjust JPEG compression between 0 to 100% quality.
- Monochrome or color image format.

- Continuous video lap recording.
- Bayer Conversion.
- Trigger on event or level.
- Recording script.

STREAMPIX 9 MODULES:

- BWave Audio Recording: Multi-layered audio recording synchronized.
- Motion Detection: Detect motion or change main image to generate a trigger.
- Color Remapping LUT: LUT Transformations.
- PrePost Module: Record before and after an event.
- Pulse Generator Module for triggering: Synchronize multiple cameras simultaneously.
- ATS: Accurate Time Source.
- TV out: Secondary full screen.
- LTC: Time stamping for audio and video.

HERMES API AND MODULE SDK :

- StreamPix is built upon the Hermes API.
- ► The API is a set of easy to use C++ or .NET libraries.
- Modules for grabbing, scripting, exporting (BMP, JPEG, TIFF, PNG, AVI), recording & playback of sequence files, display and more.
- Available with StreamPix supported cameras and frame grabbers.
- Get started fast with extensive documentation, demos & sample projects.
- Program input/output data from third-party sources such as outside temperature, atmospheric pressure or GPS positioning along and in sync with your images in a sequence.
- ► Visual C++ compatible.
- Custom development services available.

TURNKEY SYSTEMS: StreamPix Recording Station 9 GBytes/sec



FEATURES:

- Record up to 6 Gigabytes/second.
- Acquire in monochrome or color from GigE Vision, 10, 25 & 100 GigE, USB3.1, Camera Link, HD-SDI, or CoaXPress cameras.*
- ► Single or multiple camera setup at up to 24 cameras.

NorPix, Inc. 1751 Richardson St., Suite 2203, Montreal (QC) H3K 1G6 Canada Tel: (514) 846-0009 x 22 Fax: (514) 846-0117 E-mail: sales@norpix.com NORPIX DIGITAL VIDEO RECORDING SOFTWARE

version: December 2, 2022